



## SAFETY DATA SHEET

ULTRACLEAN 2000

Page: 1

Compilation date: 09/12/2014

Revision date: 05/02/2016

Revision No: 8

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: ULTRACLEAN 2000

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Multi-Purpose Cleaner

#### 1.3. Details of the supplier of the safety data sheet

Company name: ROCOL

ROCOL House

Swillington

Leeds

West Yorkshire

LS26 8BS

ENGLAND

Tel: +44 (0) 113 232 2700

Fax: +44 (0) 113 232 2740

Email: [customer-service@rocol.com](mailto:customer-service@rocol.com)

#### 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

#### 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

[cont...]

# SAFETY DATA SHEET

ULTRACLEAN 2000

Page: 2

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405: Store locked up.

P501: Dispose of contents/container to local/national regulations.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER - REACH registered number(s): 01-2119450011-60-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	1-10%

FATTY ALCOHOL ETHOXYLATE

-	24938-91-8	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
---	------------	---	--------------------------------------	-------

TETRAPOTASSIUM PYROPHOSPHATE

230-785-7	7320-34-5	-	Eye Irrit. 2: H319	1-10%
-----------	-----------	---	--------------------	-------

SODIUM METASILICATE - REACH registered number(s): 01-2119449811-37

229-912-9	6834-92-0	-	STOT SE 3: H335; Met. Corr. 1: H290; Skin Corr. 1B: H314	1-10%
-----------	-----------	---	--	-------

SODIUM XYLENESULPHONATE - REACH registered number(s): 01-2119513350-56-0001

215-090-9	1300-72-7	-	Eye Irrit. 2: H319	<1%
-----------	-----------	---	--------------------	-----

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

[cont...]

# SAFETY DATA SHEET

ULTRACLEAN 2000

Page: 3

## 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Use water spray to cool containers. Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

[cont...]

# SAFETY DATA SHEET

ULTRACLEAN 2000

Page: 4

**Hazardous ingredients:**

**DIPROPYLENE GLYCOL MONOMETHYL ETHER**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	50 ppm	-	-	-

## DNEL/PNEC Values

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not normally required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses with side-shields.

**Skin protection:** Protective clothing.

**Environmental:** No special requirement.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Red

**Odour:** Characteristic odour

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Soluble

**Viscosity:** Non-viscous

**Boiling point/range°C:** > 100

**Melting point/range°C:** < 0

**Flash point°C:** > 100

**Autoflammability°C:** > 200

**Relative density:** 1.05

**pH:** 13.6

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

[cont...]

# SAFETY DATA SHEET

ULTRACLEAN 2000

Page: 5

## 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

## 10.4. Conditions to avoid

**Conditions to avoid:** Direct sunlight.

## 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong reducing agents.

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

#### DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	9150	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

#### FATTY ALCOHOL ETHOXYLATE

ORAL	RAT	LD50	>200 - 2000	mg/kg
------	-----	------	-------------	-------

#### TETRAPOTASSIUM PYROPHOSPHATE

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

#### SODIUM METASILICATE

ORAL	RAT	LD50	1280	mg/kg
------	-----	------	------	-------

**Relevant hazards for product:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

[cont...]

# SAFETY DATA SHEET

ULTRACLEAN 2000

Page: 6

## Section 12: Ecological information

### 12.1. Toxicity

**Hazardous ingredients:**

#### DIPROPYLENE GLYCOL MONOMETHYL ETHER

DAPHNIA	48H EC50	1919	mg/l
FISH	96H LC50	>1000	mg/l

#### FATTY ALCOHOL ETHOXYLATE

DAPHNIA	48H EC50	1 - 100	mg/l
FISH	96H LC50	1 - 100	mg/l

#### TETRAPOTASSIUM PYROPHOSPHATE

Daphnia magna	48H EC50	>100	mg/l
RAINBOW TROUT ( <i>Oncorhynchus mykiss</i> )	96H LC50	>100	mg/l

#### SODIUM METASILICATE

FISH	96H LC50	210	mg/l
------	----------	-----	------

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Non-volatile. Soluble in water. Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

[cont...]

# SAFETY DATA SHEET

ULTRACLEAN 2000

Page: 7

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

**Phrases used in s.2 and s.3:** H290: May be corrosive to metals.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

